



## Airless Spray Tips, Hoses and Accessories for the Contractor

- *Precision Tolerances* • *Reliable Performance*
- *Constant Quality* • *Longer Life*



## RAT-EX Reversible Airless Tips RAT-EX(XXX)



Hard wearing tungsten carbide spray tips; precision cut and mounted in low friction cylindrical industry standard key. Supplied complete with universal seal for use with both water or solvent based materials.


RAT-EX tips can be safely used with Graco® RAC-X™ Guards and other manufacturers.

Maximum operating pressure 4050psi

Available in sizes from 211 to 631

REF	DESCRIPTION	EURO
RAT-EX	Tip blue complete with seal	25.07

## RAT-EX Replacement Tip Seals RAT-EX PK



Pack of 5 replacement saddles and seals.

Suitable for water or solvent based materials.

REF	EURO
RAT-EX-PK	15.36

## RAT-EX Tip Guards RAT-EX-2



Exitflex RAT-EX Tip Guards, for use with Exitflex RAT-EX tips, Graco® RAC-X™ tips. 7/8UNF thread connection.

REF	DESCRIPTION	EURO
RAT-EX-2	Tip Guard	18.80

### Note

To use RAT-EX on 11/16in thread connection spray gun, use this pre-adaptor

REF	EURO
88-527	22.94

## RAT-5 Reversible Airless Tips RAT-5(XXX)



Hard wearing tungsten carbide spray tips; precision cut and mounted in low friction cylindrical key. Supplied with universal seal for use with both water or solvent based materials.

RAT-5 tips can be safely used with Graco® RAC-5™ Guards, Titan SC6 Guards, ASM Uni Tip Guards and many others

Maximum operating pressure 5075psi

Available in sizes from 211 to 631

REF	DESCRIPTION	EURO
RAT-5	Tip (black) complete with seal	18.66

## RAT-5 Replacement Tip Seals RAT-5-PK



Pack of 5 replacement saddle and seals.

Suitable for water or solvent based materials.

REF	EURO
RAT-5-PK	14.63


## RAT-5 Guards RAT-5



Exitflex RAT-5 Tip Guards, for use with Exitflex RAT-5 tips, Graco® RAC-5® tips, Titan SC6 tips and ASM Uni tips.

REF	DESCRIPTION	EURO
RAT-5-2	Tip guard 7/8in UNF connection	17.56
RAT-5-7	Tip Guard, 11/16in connection	19.03

## RAT Tails Mini Extension Poles/Lances



Ideal in applications where a longer reach is required; spraying ceilings for example. These mini-extension poles are available in a choice of lengths to suit the operator and application.

RAT 'Tails' are constructed in strong, lightweight aluminium, they are supplied complete with a RAT-5 Tip Guard and a 7/8UNF connection ready to attach to your spray gun.

Maximum operating pressure 5075psi

Available in sizes 6in to 24in



REF	DESCRIPTION	EURO
RAT-125101	6in extension lance with RAT-5 tip guard	38.16
RAT-125102	12in extension lance with RAT-5 tip guard	41.77
RAT-125103	18in extension lance with RAT-5 tip guard	45.48
RAT-125104	24in extension lance with RAT-5 tip guard	48.88

## RAT Tail Adjustable Angle Heads RAT-125205



Adjustable Angle Heads. These knuckle joints fit conveniently between the RAT Tail and the RAT-5 tip guard.

REF	DESCRIPTION	EURO
RAT-125205	7/8inUNF front thread connection	28.75

## Couplings and Adaptors



**Couplings** A comprehensive range of fittings is available in all thread sizes.

REF	DESCRIPTION	EURO
74-001/1	1/4 BSP(M) x 1/4 BSP(M)	4.14
74-002/1	1/4 BSP(M) x 3/8 BSP(M)	4.59
74-033/1	3/8 NPSM(M) x 1/4 NPSM(F) swivel nut	4.59

## Manual Airless Spray Gun 250 bar MWP



Professional painting contractor gun. Manual 250bar airless spray gun fitted 1/4 NPSM swivel fluid inlet 7/8in x 14 fluid outlet Includes a guard and reversible tip. (specify tip size)

- Painting contractor airless gun
- 2 finger trigger
- Comfortable gun handle
- In handle filter
- Swivel fluid inlet 1/4 NPSM
- Repair kits, easy service.
- Robust trigger guard
- Weight 580g approx incl tip and guard outlet
- Includes a guard and reversible tip (specify tip size)

REF	DESCRIPTION	EURO
GM 250	Manual Airless Spray Gun	194.95

## High Pressure Paint Swivels



**Three axis high pressure paint swivel** Three axis swivel capability, together with minimal weight of 100g facilitates easy gun movement in difficult to access areas. MWP 550bar

REF	DESCRIPTION	EURO
79-101/34	1/4 NPSM(M) x 1/4NPSM(F)	233.45
79-102/34	1/4BSP(M) x 1/4BSP(F)	233.45



**Micro paint swivels** Single axis, stainless steel swivels. MWP 550bar Length 31mm Weight 30g


REF	DESCRIPTION	EURO
79-001/34	1/4NPSM(M) x 1/4NPSM(F)	one off 37.39
79-001/34k-5	1/4NPSM(M) x 1/4NPSM(F)	packet of 5 187.45



## RAT Easy Out Filters



Stainless steel manifold filter screens with colour coded nylon support frames. Top quality precision moulded pattern parts for direct interchangeability with Graco equipment.



REF	DESCRIPTION	EURO
RAT-329239	Black 60 mesh filter, short (replaces Graco 246-384)	6.90
RAT-329240	Blue 100 mesh filter, short (replaces Graco 246-382)	6.90
RAT-329241	Black 60 mesh filter, medium (replaces Graco 243-080)	8.05
RAT-329242	Blue 100 mesh filter, medium (replaces Graco 243-081)	8.05
RAT-329243	Black 60 mesh filter, long (replaces Graco 244-067)	9.20
RAT-329244	Blue 100 mesh filter, long (replaces Graco 244-068)	9.20

## RAT 329 series Spray Gun Filters



Supplied in twin packs, these colour coded filters are for use with Graco contractor spray guns. Stainless steel mesh screen with a nylon core.



REF	DESCRIPTION	EURO
RAT-329154-K2	Black 60 mesh filter, (pack 2) (replaces Graco 287-032)	7.48
RAT-329155-K2	Blue 100 mesh filter, (pack 2) (replaces Graco 287-033)	7.48
RAT-329132-K2	Orange 50 mesh filter, (pack 2) (replaces Graco 218-631)	7.48
RAT-329133-K2	Blue 100 mesh filter, (pack 2) (replaces Graco 218-133)	7.48

## 36 series Spray Gun Filters



Supplied in packs of 10, these colour coded filters are for use with popular airless contractor spray guns. Stainless steel mesh screen with a nylon core.

REF	DESCRIPTION	EURO
36-030-K10	Green 30 mesh filter, (pack 10)	26.22
36-060-K10	White 60 mesh filter, (pack 10)	26.22
36-100-K10	Yellow 100 mesh filter, (pack 10)	26.22
36-150-K10	Blue 150 mesh filter, (pack 2)	26.22
36-200-K10	Red 200 mesh filter, (pack 10)	26.22

## RAT Catcher Suction Filters



RAT Catcher suction filters offer valuable and reliable protection where you really need it... Downtime and repair costs can be greatly reduced by ensuring that all alien bodies are prevented from entering your pump.

Suction/inlet strainers should be checked and cleaned regularly to ensure continued reliable service.

REF	DESCRIPTION	EURO
RAT-329153	Suction strainer, nylon cap, 7/8inUNF thread (Ultra 395/495) (replaces Graco 246385)	7.13
RAT-329152	Suction Strainer, nylon cap, 3/4inUNF thread (390 st) (replaces Graco 235004)	9.20
RAT-329120	Suction Strainer (double), stainless steel cap, 1inUNF (replaces Graco 181072)	7.48
RAT-329122	Suction Strainer (double), stainless steel cap, 3/4inUNF thread	7.48
RAT-329134	Suction Strainer (single), stainless steel cap, 1inUNF (replaces Graco 189920)	7.48

## SPR Paint Spray Hoses



The SPR range of high quality Swiss Technology conductive nylon lined, PU covered paint spray hoses and are available in three pressure ranges (see tables below). They are factory assembled in specified lengths fitted with NPSM(F) connections. The safety ratio is 4:1.

### SPR230 MWP 230bar



The SPR 230 range is designed for electric powered airless spray machines.

- MWP 230bar • MBP 920bar
- Date and traceability marked

REF	BORE	SPRING GUARDS	LENGTH (M)	END CONNECTIONS	EURO
SPR230-3.0100.N4SG1	3/16in	1	1	1/4inNPSM(F)	11.39
SPR230-4.1500.N4SG2	1/4in	2	15	1/4inNPSM(F)	35.44
SPR230.6.1500.N6SG2	3/8in	2	15	3/8inNPSM(F)	63.04

### SPR300 MWP 300bar



The SPR 3000 range is designed for standard pneumatic airless (up to 50:1) spray applications.

- MWP 300bar • MBP 1200bar
- Date and traceability marked

REF	BORE	SPRING GUARDS	LENGTH (M)	END CONNECTIONS	EURO
SPR300-4.0750.N4SG1	1/4in	1	7.5	1/4inNPSM(F)	25.71
SPR300-4.1500.N4SG1	1/4in	1	15	1/4inNPSM(F)	44.95
SPR300-6.1500.N6SG1	3/8in	1	15	3/8inNPSM(F)	62.73

### SPR400 MWP 400bar



The SPR 400 range is designed for industrial duty pneumatic airless (up to 63:1) spray applications.

- MWP 400bar • MBP 1600bar
- Date and traceability marked

REF	BORE	SPRING GUARDS	LENGTH (M)	END CONNECTIONS	EURO
SPR400-4.1500.N4SG1	1/4in	1	15	1/4inNPSM(F)	64.81
SPR400-6.1500.N6SG1	3/8in	1	15	3/8inNPSM(F)	74.34
SPR400.6.3000.N6SG1	3/8in	1	30	3/8inNPSM(F)	142.19
SPR400.8.1500.N8SG1	1/2in	1	15	1/2inNPSM(F)	177.73

## Pressure Feed Containers



A quality range of robustly constructed, pressure feed containers designed to provide reliable performance in demanding industrial duties. CE marked and complete with test certificate. Choice of agitator type.

### Model range

MODEL	CAPACITY	AGITATOR	OUTLET	EURO
EPT-4	4 litre	None	Top	172.50
EPT-10	10 litre	None	Top	276.00
EPT-10M	10 litre	Manual	Top	339.25
EPT-10A	10 litre	Automatic	Top	612.95
EPT-10B	10 litre	None	Bottom	328.90
EPT-20M	20 litre	Manual	Top	477.25
EPT-20A	20 litre	Automatic	Top	731.40
EPT-40M	40 litre	Manual	Top	583.05
EPT-40A	40 litre	Automatic	Top	819.95
Other sizes by enquiry				

## EPT 2.5 Pressure Cup



This 2.5 litre stainless steel pressure cup is ideal for spraying a small quantity of material, saving time and waste. The range of materials that can be handled is also very flexible. MWP 4bar



- Quick release clamp lid, saves time and sticking lid problems
- Carry handle, hook
- Lid mounted pressure release valve
- Greater manoeuvrability compared with cup guns
- 4 bar maximum working pressure
- Built in air regulator
- All stainless steel wetted
- 3/8BSP(M) fluid connection
- 1/4BSP(M) air connection

REF	DESCRIPTION	EURO
EPT 2.5	Cup assembly (no hoses)	191.48
EPT 2.5K	Cup assembly with 1.25m hose set	201.94



## You Dirty Rat... Tip Clean System



- Discover the convenience of TipClean to make your finishing easy
- Special cleaning solvent
- Stores your tips and cleans after use
- Ready to spray, first time every time



Place tip inside, turn TipClean upside down. Thats it.



Label the bottle and find it on time. Just that easy.

REF	DESCRIPTION	EURO
TC 50	Ideal for flat and airless air assisted tips.	14.38
TC250	Cleaning solvent refill 250ml	12.08
TC 200	A larger container for reversible tips	28.75
TC1000	Cleaning solvent refill 1 litre	25.88

## Big wipes



Big wipes are an indispensable cleaning solution for those tough jobs. They help to keep your hands hygienic and in good condition.

REF	DESCRIPTION	EURO
BIW-640 (black top)	Tray of 8 x 80 wipes industrial standard grade	99.04
BWP-640 (red top)	Tray of 8 x 80 wipes industrial plus grade	99.04

## Cleaning Brushes



Cleaning brushes in lengths of 130mm or 250mm, nylon bristles supplied in packs of 10.

Cleaning brush kit containing a selection of 6 different sizes of brushes, a lube bottle and fine broaches.

REF	DESCRIPTION	EURO
24097-R-K10	130mm cleaning brushes 130mm, nylon bristles (pack of 10)	40.25
42-884-214-K10	250mm cleaning brushes 250mm, nylon bristles (pack of 10)	27.60
CBK-500	Cleaning brush kit	22.43

## HVLP Turbine Hoses & Accessories



REF	DESCRIPTION	EURO
HVLP-8-NPC	8 metre spiral wound hose with 3/4 BSP (F) connections and QD connection for gun	127.10
HVLP-9-CNPC	9 metre combination hose- 4m light spiral wound hose, 5m heavy reinforced hose, with 3/4 BSP (F) and QD gun connection	137.06
HC-02	17 x 17mm nylon hose coupler	4.76
HVLP 1/E	3/4BSP screw ring for 3/4 hose tail, nickel plated	7.59
HVLP 1/E/M20	M20 screw ring for 3/4in hose tail	7.59
HVLP 3/E	18mm diameter hose tail, brass	7.59
HVLP 5/E	QD coupling tail. 18mm brass	8.83
HVLP 6/E	QD coupling. Nickel plated	30.11
HVLP 8/E	Spiral PVC hose smooth bore black	per metre 10.12
HVLP 9/E	Heavy delivery hose smooth bore black	per metre 11.04

## Spray Gun Lubricant



A Silicone free food quality spray gun lubricant. Supplied in a 50ml dispensing container.

REF	DESCRIPTION	EURO
SGL-50	Spray gun lubricant	9.11

**EXITFLEX**

## Premium Replacement Parts



your distributor and stockist is



Exitflex (UK) Ltd 5 Airfield Road Airfield Industrial Estate  
Christchurch Dorset BH23 3TG United Kingdom